

# CHECK VALVE

**BALL CHECK VALVE**  
**WAFER SWING CHECK VALVE**



**BALL CHECK VALVE - SERIES 9200**

**SIZES**

1 1/2" - 20"

**BODY**

Ductile Iron A536

**BALL**

Aluminum EPDM Coated

**COVER**

Ductile Iron A536

**HARDWARE**

Stainless Steel

**COATING**

Fusion Bonded Epoxy Coating Inside/Out  
in compliance with AWWA C550



- Low Friction Loss
- For Sewage Prone to Blockage
- Functions at Low Pressure
- Flange ANSI B16.1
- Pressure Rating: 250psi

**STAINLESS STEEL WAFER  
SWING CHECK VALVE  
SERIES 9300**

**SIZES**

2" - 24"

**BODY**

Stainless Steel

**BODY SEAT**

Viton

**DISC**

Stainless Steel

**PRESSURE RATING**

250psi

**WAFER STYLE/ANSI B16.1**

- Short Face to Face, Compact Design for Tight Spaces
- Soft Seal Even at Low Differential Pressure



**DUCTILE IRON WAFER SWING  
CHECK VALVE SERIES 9400**

**SIZES**

2" - 24"

**BODY**

Ductile Iron

**BODY SEAT**

EPDM

**DISC**

Stainless Steel

**COATING**

Fusion Bonded Epoxy Coating Inside/Out  
in compliance with AWWA C550

**OPTIONS**


Lever and Weight


**PRESSURE RATING**

200psi

**WAFER STYLE/ANSI B16.1**


- Short Face to Face, Compact Design for Tight Spaces
- Soft Seal Even at Low Differential Pressure






## BALL CHECK VALVE - SERIES 9200

Size	1 1/2"	2"	2 1/2"	3"	4"	6"	8"	10"	12"	14"	16"	20"
Model	92015	9202	92025	9203	9204	9206	9208	9210	9212	9214	9216	9220
L	7"	7 7/8"	9 1/2"	10 1/4"	11 3/4"	15 3/4"	19 3/4"	26 5/8"	27 1/2"	31 1/2"	35 3/8"	43 1/4"
H	3 7/8"	4 7/8"	5 1/2"	7 5/8"	8 3/4"	11 3/8"	14"	16 1/2"	18 7/8"	22 7/8"	28 7/8"	34 3/4"
S	2"	2 1/2"	3 1/8"	3 3/4"	4 7/8"	7 1/8"	9 7/8"	12 5/8"	14 1/2"	16 1/4"	19 1/4"	23 5/8"



## STAINLESS STEEL WAFER SWING CHECK VALVE - SERIES 9300

Size	2"	2 1/2"	3"	4"	6"	8"	10"	12"	14"	16"	18"	20"	24"
Model	9302	93025	9303	9304	9306	9308	9310	9312	9314	9316	9318	9320	9324
S	1/2"	1/2"	5/8"	3/4"	3/4"	7/8"	1"	1 1/8"	1 3/8"	1 5/8"	2"	2 1/4"	2 1/4"
D	4 1/8"	4 3/4"	5 1/4"	6 3/4"	8 5/8"	10 7/8"	13 1/4"	16"	17 5/8"	20 1/8"	21 1/2"	23 3/4"	28 1/8"
C	1 1/4"	1 1/2"	2"	2 3/4"	4 3/8"	6 3/8"	7 1/2"	9 1/4"	10 5/8"	12 3/8"	14 1/8"	16 1/8"	19 1/4"



## DUCTILE IRON WAFER SWING CHECK VALVE - SERIES 9400

Size	2"	2 1/2"	3"	4"	6"	8"	10"	12"	14"	16"	18"	20"	24"
Model	9402	94025	9403	9404	9406	9408	9410	9412	9414	9416	9418	9420	9424
A	4"	4 3/4"	5 1/4"	6 3/4"	8 5/8"	10 7/8"	13 1/4"	16"	17 5/8"	20 1/8"	21 1/2"	23 3/4"	28 1/8"
B	1 3/4"	1 7/8"	2"	2 1/4"	2 3/4"	2 7/8"	3 1/8"	3 3/8"	4 1/4"	4 1/4"	4 1/4"	5 1/2"	6"
C	1"	1 5/8"	1 3/4"	2 1/2"	4 3/4"	6 7/8"	8 5/8"	10 5/8"	12 1/4"	12 5/8"	14 1/2"	16 1/8"	18 7/8"

Design and Materials Subject to Change Without Notice. \*Contact J&S Valve for Any Updated Drawing

# IMPROVING THE INDUSTRY STANDARD.



## INSTALL RELIABILITY. INSTALL J&S VALVE

J&S Valve shows its commitment to providing quality products by manufacturing with highest grade materials and extensive testing of its valves. J&S is a leader in the Waterworks Industry. We provide products and services that consistently exceed our customers' needs as they relate to quality, performance, dependability, operation, and delivery.



2323 1st Street Huffman, Texas 77336

T: 281.324.3990 | F: 281.324.6879 | E: [Sales@jandsvalve.com](mailto:Sales@jandsvalve.com)

[JANDSVALVE.COM](http://JANDSVALVE.COM)